

LONKING

Efficiency Rules the Future

Forklift Trucks



Lonking, the youngest among the Chinese Top 3 forklift brands



yearly production capacity 30,000units



Safe, Powerful, Ergonomic, Maintain-easy

Your ideal carrying aid: extensively applied in station, port, all kinds of factory and warehouse, effective truck for stacking, loading and unloading.

In Lonking forklift, what you can find is not only forklift trucks, but also more follow-up solutions---one-stop warehouse logistics solution.



<http://trucksfreemanuals.com>

Lonking Forklift, your ideal logistics solution provider

Lonking owns 5 types of forklifts that can be transformed into 200 kinds of product including diesel forklift, LPG forklift, battery forklift, container stacker and warehouse forklift, with CE and GOST certificate.

Internal Combustion Forklift

Lonking introduces a new generation of forklift (3rd generation). Excellent design and better operation make your job easy and pleasant.

1. Ergonomical design relieves driver's fatigue and ensures driving enjoyment.
2. Easier operation, faster drive and lift speed, more efficient productivity.
3. More reasonable structure, maintenance easier.



Humanism design with the operator in mind!

New generation, steady quality as ever.


1 Driving comfort

A design based on human engineering relieves fatigue and increases operator's efficiency.



2 Suspension seat

30% more shock absorption, adjustable position, driving comfortable.



3

Adjustable steering wheel

Adjustable steering wheel with horn button, easy shift lever and switch lever on both sides for the most comfortable operator position.



4

Combinational instrument panel

Displays all kinds of information, such as water temperature, fuel and direction indicator, etc.



5

Cup holder

Located at operator's convenience.



6

Ergonomically positioned pedal

Based on human engineering, the accelerator, brake and inching pedals are optimally positioned.



7

Comfortable operation handle

Precise response with little effort.



Rapid and Stable Performance

Being able to raise and lower the mast quickly, as well as tilt it forward and backward, provides the best operational conditions during unloading.



1

Wide view mast



2

Intensive overhead guard, punching press forging, more safe.



3

Integral cabin frame, more safe, easy for assembling and disassembling, as well as maintenance.



4

Ideal layout of components ensures easy maintenance.



5

Safety and durability



6

Large radiation space, and added with reflection mark on each side, more safe driving in the night.



7

Anti-slip pedal made with durable material.



8

Speed limit valve
When the forklift is fully loaded, mast lowering speed is carefully controlled to ensure safety by the speed limit valve.

9

Independent electric and hydraulic system, easy access and maintenance.



Product List

Diesel forklift



LG15D
OW:2550KG RP:30KW
RC:1500KG LxH:3170*1995MM



LG20DT
OW:3450KG RP:40KW
RC:2000KG LxH:3560*2030MM



LG25DT
OW:3800KG RP:40KW
RC:2500KG LxH:3610*2030MM



LG30DT
OW:4350KG RP:40KW
RC:3000KG LxH:3775*2100MM



LG35DT
OW:4700KG RP:42KW
RC:3500KG LxH:3788*2100MM



LG40DT
OW:5000KG RP:45KW
RC:4000KG LxH:3993*2343MM



LG50DT
OW:8600KG RP:81KW
RC:5000KG LxH:4704*2500MM



LG60DT
OW:9100KG RP:81KW
RC:6000KG LxH:4754*2500MM



LG70DT
OW:9550KG RP:81KW
RC:7000KG LxH:4800*2625MM



LG80DT
OW:10700KG RP:92KW
RC:8000KG LxH:5486*2845MM



LG100DT
OW:12800KG RP:92KW
RC:10000KG LxH:5816*2845MM



LG160DT
OW:23000KG RP:140KW
RC:16000KG LxH:7420*3445MM

LPG forklift



LG20GLT
OW:3270KG RP:31KW
RC:2000KG LxH:3560*2030MM



LG25GLT
OW:3580KG RP:31KW
RC:2500KG LxH:3560*2030MM



LG30GLT
OW:4280KG RP:37KW
RC:3000KG LxH:3775*2100MM



LG35GLT
OW:4460KG RP:37KW
RC:3500KG LxH:3850*2150MM



Electric forklift, with low noise and low pollution, is ideal for indoor warehouse loading and unloading, such as food, medicine industry, etc .



Lonking produces 4-wheel and 3-wheel electric forklift, provides strong power and excellent performance with international famous brand controller, and available with AC system & double drive motors.

- 1 AC frequency conversion motor (optional)**
Strong AC frequency conversion driving motor, make the forklift more powerful and effective during accelerating, climbing and driving.
- 2 Power Regeneration Function**
When decelerate or park, drive or stop on slope or switch back, battery will withdraw the electric automatically, which can save energy and extend working hours.
- 3 Neutral safety lock**
The forklift can start only when the direction selection switch is neutral, which is more safe.
- 4 Urgency blackout button**
Safe and easy urgency blackout button, can cut off all power energy at one time during emergency.
- 5 Good water-proof function**
All electric parts are water-proof and dust-proof.
- 6 Parking brake lock**
Parking brake lock button on brake handle, the forklift will alarm if it moves before unlocking.
- 7 Reliable accelerator**
Korea imported accelerator, ensure parking and driving safety.
- 8 Environmental friendly**
Low noise and pollution, good safety performance and stable operation.

Product List

Electric forklift



LG16B
OW:3120KG RC:1600KG
B:48V/480AH LxH:3018*2135MM



LG16BE
OW:3100KG RC:1600KG
B:48V/500AH LxH:2823*1995MM



LG18B
OW:3216KG RC:1800KG
B:48V/500AH LxH:2823*1995MM



FB20
OW:3760KG RP:2000KG
B:48V/600AH LxH:3430*2210MM



LG25
OW:3980KG RP:2500KG
B:48V/600AH LxH:3430*2210MM



LG30B
OW:4920KG RP:3000KG
B:80V/500AH LxH:3608*2175MM



LG35B
OW:5440KG RP:3500KG
B:80V/500AH LxH:3648*2175MM



LG20ET
OW:700KG RP:2000KG
B:24V/240AH LxH:2283*1455MM



LG20DR
OW:3415KG RP:2000KG
B:48V/480AH LxH:2480*2601MM

Empty container stacker & full container stacker

- 1 World high-quality Swedish diesel engine with electronic control, powerful, efficient and reliable.
- 2 High performance, large torque output at low-speed.
- 3 Tier II emission standard conformity, low noise, energy saving, environmentally friendly.
- 4 Easy maintenance.



Some of the photos may include optional equipment
specification and design are subject to change without prior notice



Distributor by

Benteng Cemerlang SDN BHD (290658-M)

(A member of YonMing Group)

Add: 89 & 90, Taman City, Jalan Kuching, 51200 Kuala Lumpur

Tel: +603-6251 9448

Fax: +603-6257 7716

Email: ymhq@yonming.com

Website: www.yonming.com



<http://trucksfreemanuals.com>